



Technical Specification

# HC-1100

## Steaming Hot Water Tap




Technical Specification

# HC-1100

## Specification

The HC-1100 model comes complete with the following specifications.



HC-1100 - Chrome finish standard. Alternative finishes available by special order.

Capacity	2.5 Litre Stainless Steel tank dispenses 100 cups of 98°C water per hour
Electrical	220 - 240 volts A.C. 1300 watts, heating element with grounded plug. Requires 10 amps of power
Thermostat	Electronic, adjustable from 88°C to 98°C (factory pre-set at 96°C)
Insulation	Meets U.L. 94HF-1 flammability specification
Hot Valve	Instant, self closing
Cold Valve	Manual return
Weight	Approximately 4.4kg
Required Hole Diameter	35mm - 38mm
Required Supply Pressure	172 - 862 KPa (1.7 - 8.6 bar) (25 - 125 psi)



InSinkErator  
6 The Courtyards, Croxley Business Park,  
Watford, Hertfordshire. WD18 8YH  
United Kingdom

Service and customer enquiries: 44 800 389 3715

T: 44 1923 297 880

F: 44 1923 800 628

Email: [insinkeratoruk@insinkerator.com](mailto:insinkeratoruk@insinkerator.com)

Web: [www.insinkerator.co.uk](http://www.insinkerator.co.uk)

Italy

T: 39 800 331 800

Web: [www.insinkerator.it](http://www.insinkerator.it)



# HC-1100

## Application

A premium sink appliance for the kitchen that conveniently dispenses instant 98°C water and cool drinking water all in one system, from a single tap. Ideal for making tea, preparing pasta, cleaning dishes, blanching vegetables, warming baby's bottle or for any other activity that requires the use of steaming hot water.

## Features

- Sparkling chrome finish
- Elegant spout swivels for convenience
- Gentle touch, two lever dispenser
- Shut off valve built into filter head to automatically stop water flow
- Tap insulated from heat
- Tap mounted on either the kitchen work surface or sink
- Unobtrusive 2.5 litre stainless steel tank fitted under sink
- Easy replaceable filter
- Adjustable temperature dial
- Plugs directly into electrical socket located close to appliance
- Two year full warranty

## Benefits

- 98°C steaming hot water instantly
- Produces up to 100 cups of steaming hot water per hour
- Safe, filtered drinking water
- Hot and cold filtered water on tap
- Reduces chlorine, lead, turbidity and other unpleasant tastes and odours from water
- Energy efficient and economical, saving both time and money once installed
- Special scale reduction technology to protect heating elements in hard water
- Time-tested quality
- Tool free tank connections and dry start protection to ease installation



### HC-1100 Tap

Elegant swivel spout with two lever dispensers for hot and cold water in a sparkling chrome finish

### Filter

Water supply flows through the optional in-line filter and then either into the tank for heating or out of the tap for drinking



### Tank

Unobtrusive 2.5 litre stainless steel hot water tank fitted under the sink, with easy adjustable temperature dial

## Installation

InSinkEerator's Steaming Hot Water Tap is easy to install. Simply follow six step-by-step instructions to enjoy the convenience of instant steaming hot water in your kitchen.



1

### Step One

- Install the tap

2

### Step Two

- Mount the tank

3

### Step Three

- Connect the tap to the tank

4

### Step Four

- Connect the filtration system

5

### Step Five

- Final water connection

6

### Step Six

- Connect power

## **Check out our full range of Kitchen Products**

### **Kitchen Sinks**

Stainless Steel Kitchen Sinks

Granite Composite Kitchen Sinks

Glass Kitchen Sinks

Ceramic Kitchen Sinks

Franke Kitchen Sinks

### **Kitchen Taps**

Contemporary Kitchen Taps

Traditional Kitchen Taps

Franke Kitchen Taps

Pull out Rinser Kitchen Taps

Instant Boiling Water Taps

### **Insinkerator Waste Disposal Units**

**plumbworld**  
**Big brands, small prices.**