


**Serie | 6, Gas hob, 60 cm,
PPP6A6B90**



**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Standard and semi-flush built-in option:** choose between flush or surface mounted installation.
- **Tempered-glass surface:** elegant design and easy cleaning.
- **Continuous cast-iron pan support:** for high firmness and stability of cookware.
- **Sword knobs:** for an ergonomic control.

Technical Data

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the product (mm) :	590
Dimensions of the product (mm) :	45 x 590 x 520
Dimensions of the packed product (HxWxD) (mm) :	141 x 651 x 578
Net weight (kg) :	15.306
Gross weight (kg) :	16.0
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Hard Glass
Color of surface :	Black
Color of frame :	Black
Length of electrical supply cord (cm) :	100
EAN code :	4242002801933
Electrical connection rating (W) :	1
Gas connection rating (W) :	7500
Current (A) :	3
Voltage (V) :	220-240
Frequency (Hz) :	60; 50



**Serie | 6, Gas hob, 60 cm,
PPP6A6B90**

**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design

- Tempered glass Black
- frameless design

Special features

- FlameSelect
- Design co-ordinated control dials
- Ignition via control dials
- Cast iron pan supports with rubber feet

Power and size:

- 4 gas burners:
- Left rear: Standard burner 1.75 KW
- Right rear: high-speed burner 3 KW
- Left front: standard burner 1.75 KW
- Right front: economy burner 1 KW

Safety Features

- Flame failure safety device
- Pre-set for natural gas



Technical information

- Power cord length 100 cm

Accessories

- LPG jets included. Connection to 28-30/37 mbar bottled gas

**Serie | 6, Gas hob, 60 cm,
PPP6A6B90**



- * Minimum distance from the hob cut-out to the wall
- ** Position of gas connection in the cut-out
- *** With fitted oven underneath, possibly more; see space requirements for the oven