

## Series 6, Fully-integrated dishwasher, 60 cm SMD6YCX01G



### Optional accessories

|           |  |
|-----------|--|
| SGZ0BI01  | decorative strips stainless steel 81,5cm |
| SGZ1010   | inlet and outlet hose extension          |
| SGZ8BI00  | Connection rail for divided furniture    |
| SMZ1051EU | Mains cable with EU-Plug 5m              |
| SMZ2056   | Attachment door, stainless steel         |
| SMZ5003   | Retractable hinge f. high corpus dimens. |
| SMZ5035   | Decor conversion kit, stainless steel    |
| SMZ2014   | Rack insert for stemware dishwasher      |
| SMZ5100   | Vario-cutlery basket                     |
| SMZ5300   | GlassSecure Tray                         |

## Energy label A dishwasher, thanks to our Smart Energy Saving Solutions with no constraining compromises to perfect results.

- **PerfectDry:** perfect drying results with low energy consumption, even for hard-to-dry items.
- **Intelligent Programme:** individually adapts the washing and drying cycle based on your feedback
- **Extra Clean Zone:** extra cleaning for items in your top basket.
- **TimeLight:** program status and remaining time clearly displayed on floor in high resolution.
- **Home Connect:** home appliances with smart connectivity for an easier everyday life.

### Technical Data

|   |                                    |
|---|------------------------------------|
| Energy Efficiency Class:  | .....A                             |
| Energy Consumption for 100 cycles Eco Programme:                | ..... 54 kWh                       |
| Maximum number of place settings:                               | ..... 14                           |
| The water consumption of the eco programme in liters per cycle: | 9.5 l                              |
| Programme duration:   | ..... 4:55 h                       |
| Airborne acoustical noise emissions :                           | .....44 dB(A) re 1 pW              |
| Airborne acoustical noise emission class:                       | .....B                             |
| Installation type:  | .....Built-in                      |
| Height of removable worktop:                                    | .....0 mm                          |
| Dimensions of the product (HxWxD):                              | .....815 x 598 x 550 mm            |
| Min. required niche size for installation (HxWxD):              | .....815-875 x 600 x 550 mm        |
| Depth with open door 90 degree:                                 | ..... 1150 mm                      |
| Adjustable feet:  | ..... Yes - all from front         |
| Maximum adjustability feet:                                     | ..... 60 mm                        |
| Adjustable plinth:  | ..... Both horizontal and vertical |
| Net weight:   | .....43.2 kg                       |
| Gross weight:   | ..... 45.0 kg                      |
| Connection rating:  | ..... 2400 W                       |
| Fuse protection:  | .....10 A                          |
| Voltage:  | ..... 220-240 V                    |
| Frequency:  | ..... 50; 60 Hz                    |
| Length of electrical supply cord:                               | ..... 175.0 cm                     |
| Plug type:  | .....GB plug                       |
| Length inlet hose:  | ..... 165 cm                       |
| Length outlet hose:   | ..... 190 cm                       |
| EAN code:   | .....4242005444250                 |
| Installation type:  | .....Integrated                    |



## Series 6, Fully-integrated dishwasher, 60 cm SMD6YCX01G

**Energy label A dishwasher, thanks to our Smart Energy Saving Solutions with no constraining compromises to perfect results.**

### Performance

- Energy Efficiency Class<sup>1</sup>: A
- Energy<sup>2</sup> / Water<sup>3</sup>: 54 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 4:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 43 dB(A) re 1 pW

### Programmes / functions

- 8 Programmes: Eco 50 °C, Auto 45-65 °C, Intelligent 40 °C, Intensive 70 °C, Express 60°, Glass 40 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand
- Machine Care

### Flexible design elements

- Max Flex baskets Basket system with red coloured touchpoints
- Vario Drawer - loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Smooth running wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf

### Innovations and technology

- Home Connect ready on WLAN
- Zeolith - Energy efficient and perfect drying results
- Extra Clean Zone
- Efficient Dry and Heat Exchanger
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaMix - Glass protection system

### Design features

- Touch Control (metallic)
- Push button top edge controls
- TimeLight - Light projection on the floor
- DoorOpen Assist - perfectly designed for kitchens without handles
- Time delay (3, 6 or 24 hours)

- Acoustic end of cycle indicator
- ChildLock - double push to open
- AquaStop: Bosch's warranty in case of water damage - for the lifetime of the appliance. Please find warranty terms under <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/additional-warranties>
- Self-cleaning filter system with 3 piece corrugated filter
- steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

<sup>1</sup> Scale of Energy Efficiency Classes from A to G


<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)


<sup>4</sup> Duration of programme Eco 50 °C

**Series 6, Fully-integrated  
dishwasher, 60 cm  
SMD6YCX01G**

measurements in mm



⌘ socket  
 ( ) values with extension kit



measurements in mm