

Serie | 8, French door bottom freezer, multiDoor, 183 x 90.5 cm, Inox-easyclean KFF96PIEP



The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **NoFrost:** You'll never have to defrost your fridge-freezer again.
- **Extra Large size:** provides much more space for your food.
- Thoughtfully tucked away is the internal water dispenser for refreshing, pure water at the touch of a button, or push of a nozzle
- LED lights bring a completely new lighting concept to fridges
- **AirFresh Filter:** neutralises unwanted odours and ensures the air inside the appliance is fresh.

Technical Data

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	333 kWh/annum
Sum of volume of frozen compartments:	171 l
Sum of volume of chill compartments:	402 l
Airborne acoustical noise emissions :	39 dB
Airborne acoustical noise emission class:	C
Construction type:	Free-standing
Door panel options:	Not possible
Width of the appliance:	905 mm
Depth of the product:	706 mm
Net weight (kg):	158.301 kg
Fuse protection (A):	10 A
Door hinge:	Other
Voltage (V):	220-240 V
Frequency (Hz):	50-60 Hz
Approval certificates:	CSA
Length of electrical supply cord:	240 cm
Storage Period in Event of Power Failure (h):	18 h
Number of compressors:	2
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment (Stck):	4
Shelves for Bottles:	Yes
Installation type:	N/A

Included accessories

1 x cartridge for water filtering system



Serie | 8, French door bottom freezer, multiDoor, 183 x 90.5 cm, Inox-easyclean KFF96PIEP

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- KFF96PIEP
- Twin No Frost (RC + FC), Free-standing-refrigerator >= 3 door
- Stainless Steel EasyClean doors and chrome inox metallic side panels

Functions

- Bright interior LED fridge light
- Interior design with metal applications

Design features

- 3 x 7 segment
- Super Cooling: automatic deactivation
- Automatic defrost fridge
- Holiday mode - saves energy when you're away a longer period of time, Sabbath Mode
- Optical and accoustical
- Freezer malfunction warning signal: optical and accoustical

Design features

- MultiAirflow system - improves circulation of air around the fridge
- AirFreshFilter with AntiBacterial filter to reduce odours and bacteria
- 4 safety glass shelves of which 4 are height adjustable, Dividable glass shelf 2 shelves extendable
- Door shelves in fridge door: 2 large and 3 small.
- flexible bar
- 1 dairy compartment in door

Freshness System

- 1 VitaFresh drawer - Fish and meat stay fresh for longer

Food freshness system

Dimension and installation

- Dimensions: 183 cm H x 90.5 cm W x 70.6 cm D

Key features - Fridge section

- cartridge for water filtering system
- 4 wheels for easier transport, 3 of them height adjustable.
- 220 - 240 V

Key features - Freezer section

- Automatic ice cube maker
- 3 freezer drawers
- Freezer malfunction warning signal: optical and acoustical warning system

Country Specific Options


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 573 l
- Net Fridge Volume : 402 l
- Net Freezer Volume : 171 l
- Net 4* compartment volume : 171 l
- Freezing capacity 24h : 15 kg
- Annual Energy Consumption: 333 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB
- Temperature rise time : EU19_Temperature rise time_D: 18.5 H


**Serie | 8, French door bottom freezer,
multiDoor, 183 x 90.5 cm, Inox-easyclean
KFF96PIEP**

measurements in mm




A: Front is adjustable from 1830 to 1847,
with front levelling feet fully extended
B: With handle

measurements in mm




A: Front is adjustable from 1830 to 1847,
with front levelling feet fully extended
B: Add 25 for fixed spacers on back
C: Water connection position

measurements in mm




measurements in mm



A: 3.2
Leave a clearance of min. 12.7 above the
appliance
Observe minimum clearances as seen above


measurements in mm



A	a	b
600	0	0
650	0	33
700	45	60
B	93	266

A: Unit depth
B: Wall

measurements in mm



A: If you install the appliance in a niche,
adhere to the shown dimensions