



**ATTENTION!**  
**REMOVE FILM PRIOR TO FITTING**


- Before fixing any bath or panel - remove ALL protective covering and examine carefully. The polythene film must be removed in full and the bath checked for any visible damage.
- Check the panel fit and match prior to installation

NO CLAIMS FOR THE ABOVE WILL BE ACCEPTED ONCE THE BATH IS FITTED

1. Remove all packaging including the polyethylene film which covers the entire bath
2. Check that colour match is acceptable and that there is no damage on the bath that may have occurred prior to installation
3. Fix the two channels to the base of the bath (see illustration) using the screws
4. Place the All thread bars through the holes in the channels and fix the plastic feet using the Nuts (see illustration)
7. Before final fixing of the bath, fit tap and waste fittings using a suitable sealing compound. When complete fit the bath into position and secure the legs to the floor
8. Ensure the wall brackets are securely fixed to the wall. Movement may occur if not fitted correctly

**Please note:**

- \*It is advised that shower baths and rectangular baths that are **NOT** going wall to wall should be supported on the front rim by the use of a wooden support or similar.
- When relevant the bath should be set to supplied panel height
- The baseboard, if not visible, is encapsulated into the bath (I.e. under the GRP reinforcement)



Item No.	Quantity	Description	Checked
1	2	Channels	
2	4	12 mm Threaded Bolt	
3	4	Plastic Feet	
4	8	Plastic Nuts	
5	4	Metal Nuts	
6	6	Panel bath fixing clips	
7	4	Tripod Fixing Nuts	
8	20	4.8x16 Fixing Clip Screws	
9	12	3.5x19 Tripod Fixing Screws	
10	2	Panel Floor Fixing Clips	

**Illustrations and specifications are not binding in detail bath model supplied may vary**

**GUARANTEE CERTIFICATE**  
**ACRYLIC BATHTUBS**

Bathtub Model	Stamp and Signature (Point of Sale)
Bathtub No.	
Purchase Document No.	
Date of Purchase	

## THANK YOU FOR THE PURCHASE

Our acrylic bathtubs are high class products, manufactured for the most demanding of clients.

Specifications:

- highest quality sanitary acrylic panelac
- bathtub bottom supported by fixing board to increase durability

### Instructions for use and surface maintenance

Acrylic surface can be easily cleaned right after the water has been drained. Remove sediment with a soft cloth or sponge soaked in a liquid detergent (gel, soap, shampoo). Do not use detergents containing abrasive components as they wear, abrade and tarnish the acrylic surface. The acrylic surface is resistant to acid and alkaline reactions. However, it needs to be protected from: organic solvents, fire and other sources of high temperature (lit cigarette, match), blows with objects (heavy or otherwise) with sharp or hard edges.

**The manufacturer is not liable for any damage caused if the assembly instructions have not been followed. This in particular concerns an assembly preventing easy and safe disassembly, in addition (The manufacturer is not liable for assembly and disassembly costs and any extra costs related to bath replacement.**

## CONGRATULATIONS ON YOUR CHOICE

Guarantee Conditions

10-year guarantee for the colour preservation of acrylic coating

1 -year guarantee for other elements

The guarantee does not cover any mechanical damage to the product or conséquences of such damage, and in particular:

- any damage caused by using product for any purposes other than those it is intended for.
- incorrect transport and assembly
- blows to the bathtub surface with sharp or hard objects
- unauthorised repair and tampering with the structure of the bathtub

The guarantee does not cover any damage caused by:

- organic solvents
- fire or other sources of heat
- abrasive paper or any other abrasive agents causing scratches

**Each bathtub is protected against mechanical damage by a protective film and paperboard. Remove the protective film when purchasing the bathtub in order to check its quality, and then wrap it in the film again to protect it against mechanical damage which may take place during transport or assembly.**

Complaints about visible production defects will not be considered after the bathtub has been installed.

Faults and defects that occur within the guarantee period will be removed within 21 days from the date of reporting them in writing.

The guarantee is invalid without the purchase document, relevant signatures and stamps.

The guarantee is valid only in EU.

## **Check out our full range of Bathroom Suites**

Bathroom Suites By Range

Cloakroom Suites

Toilets

Bathroom Sinks / Wash Basins

Bidets

Baths

## **Wide variety of toilets**

Close Coupled Toilets

Wall Hung Toilets

Back To Wall Toilets

Furniture unit toilets

## **Huge Selection of Baths**

Acrylic Baths

Steel Baths

Shower baths

Freestanding baths

Small baths

Corner baths

Whirlpool baths

## **Don't forget the important bathroom suite extras**

Bath panels

Toilet seats

**plumbworld**  
**Big brands, small prices.**