



Product Selector	DX150
Speeds	2
Extract Performance (l/s)	60/67
Extract Performance (m ³ /h)	214/241
Electrical Power Rating (W)	15/22.6
Specific Fan Power (SFP) (W/l/s)	0.25/0.34
Sound Pressure Level (dBA@3m)	39/42
IP Rating	IPX4



Low Speed	
Static Pressure (Pa)	Flow rate in m ³ /h
0	213.66
2.6	203.27
5.4	191.70
8	179.38
11.5	166.15
13.6	151.76
16.3	135.85
18.3	117.79
20.2	96.36
21.3	68.40
25.3	0.00

High Speed	
Static Pressure (Pa)	Flow rate in m ³ /h
0	241.10
5.5	228.76
9.8	215.72
14.5	201.85
18.3	186.94
22	170.74
25.1	152.82
29.3	132.49
35	108.37
42.2	76.90
59.6	0.00



ANCILLARIES

We recommend the 150mm Wall Kit for easy through-wall installation.

Check out our full range of Bathroom Accessories

Bathroom Accessory Sets

Heated Towel Rails

Bathroom Extractor Fans

Bathroom Lighting

Shower Seats

Grab Rails

Shower Curtains

Toilet Brushes

Bathroom Cleaning Products

Wall Mounted Bathroom Accessories

Robe Hooks

Bathroom Tumblers

Toilet Roll Holders

Soap Dishes

Towel Rings

Shower Caddies

Bathroom Mirrors

Standard Bathroom Mirrors

LED Bathroom Mirrors

Shaving Mirrors

plumbworld
Big brands, small prices.